



# Life Science Laboratories, Inc.

Paul Alexander  
Ithaca City School District  
602 Hancock St.  
Ithaca, NY 14850 USA

Phone: (607) 274-2142

Authorization: FN-00605

## Laboratory Analysis Report Prepared For Ithaca City School District

Client Project ID:

**ICSD-South Hill Elementary / Lead Study**

LSL Project ID: **2104716**

Receive Date/Time: 04/06/21 16:30

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain data qualifiers and specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab  
5854 Butternut Drive  
East Syracuse, NY 13057  
Tel. (315) 445-1900  
Fax (315) 445-1104  
NYS DOH ELAP #10248

LSL North Lab  
131 St. Lawrence Avenue  
Waddington, NY 13694  
Tel. (315) 388-4476  
Fax (315) 388-4061  
NYS DOH ELAP #10900

LSL Finger Lakes Lab  
16 N. Main St., PO Box 424  
Wayland, NY 14572  
Tel. (585) 213-4090  
Fax (585) 213-4192  
NYS DOH ELAP #11667


LSL Southern Tier Office  
Cuba, NY  
Tel. (585) 209-4032

LSL MidLakes Office  
Canandaigua, NY  
Tel. (585) 728-3320

Reviewed by:

  
Kristin E. Carpenter, Quality Staff

Date:



A copy of this report was sent to:

TST BOCES; Tompkins Co. DOH

Date Printed:

Page 1 of 2

4/21/21

**- - LABORATORY ANALYSIS REPORT - -**

*Ithaca City School District Ithaca, NY*

**Sample ID:** SHE-002-F **LSL Sample ID:** 2104716-001

**Location:**

**Sampled:** 03/31/21 4:34 **Sampled By:** MM

**Sample Matrix:** PWS

<b>Analytical Method</b>	<b>Prep Method</b>	<b>Prep Date</b>	<b>Analysis Date &amp; Time</b>	<b>Analyst Initials</b>
<b>Analyte</b>	<b>Result</b>	<b>Units</b>		

(1) Lead Study

**Number of Samples**

35

MT

*Please refer to the chain of custody form on the last page of this report for the detailed descriptions of where these samples were taken.*

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-002-F  
**Lab ID:** 2104716-001A  
**Collection Date:** 03/31/21 4:34  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 14:45

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-004-F  
**Lab ID:** 2104716-002A  
**Collection Date:** 03/31/21 4:34  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>			
Lead	< 0.0010	EPA 200.8,Rev.5.4 mg/L	(EPA 200.2) 04/20/21 14:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-006-F

**Lab ID:** 2104716-003A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0022	mg/L	04/20/21 14:49

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-007-F  
**Lab ID:** 2104716-004A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0015	mg/L	04/20/21 14:51

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *SHE-008-F*  
**Lab ID:** 2104716-005A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0018	mg/L	04/20/21 14:53

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-009-F  
**Lab ID:** 2104716-006A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	04/20/21 14:59

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-010-F  
**Lab ID:** 2104716-007A  
**Collection Date:** 03/31/21 4:36  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:01

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-012-F  
**Lab ID:** 2104716-008A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:03

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-015-BF  
**Lab ID:** 2104716-009A  
**Collection Date:** 03/31/21 4:39  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:05

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-016-F  
**Lab ID:** 2104716-010A  
**Collection Date:** 03/31/21 4:41  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.028 *	mg/L	04/20/21 15:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-018-F  
**Lab ID:** 2104716-011A  
**Collection Date:** 03/31/21 4:41  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-020-F  
**Lab ID:** 2104716-012A  
**Collection Date:** 03/31/21 4:45  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-022-F  
**Lab ID:** 2104716-013A  
**Collection Date:** 03/31/21 4:43  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:13

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-024-F  
**Lab ID:** 2104716-014A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:15

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-026-F  
**Lab ID:** 2104716-015A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:25

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-032-F  
**Lab ID:** 2104716-016A  
**Collection Date:** 03/31/21 4:46  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:27

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-038-F  
**Lab ID:** 2104716-017A  
**Collection Date:** 03/31/21 4:49  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:29

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-039-F  
**Lab ID:** 2104716-018A  
**Collection Date:** 03/31/21 4:47  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-042-F

**Lab ID:** 2104716-019A  
**Collection Date:** 03/31/21 4:50  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:33

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-044-F

**Lab ID:** 2104716-020A  
**Collection Date:** 03/31/21 4:49  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0021	mg/L	04/20/21 15:35

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-049-F

**Lab ID:** 2104716-021A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:37

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-050-F

**Lab ID:** 2104716-022A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-053-F

**Lab ID:** 2104716-023A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:41

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-054-F

**Lab ID:** 2104716-024A  
**Collection Date:** 03/31/21 4:44  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:47

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-057-F

**Lab ID:** 2104716-025A  
**Collection Date:** 03/31/21 4:59  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	04/20/21 15:49

**Qualifiers:** \* Value may exceed the Acceptable Level  
E Value exceeds the instrument calibration range  
J Analyte detected below the PQL  
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Practical Quantitation Limit (PQL)  
S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-059-F  
**Lab ID:** 2104716-026A  
**Collection Date:** 03/31/21 4:59  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	04/20/21 15:51

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-061-F  
**Lab ID:** 2104716-027A  
**Collection Date:** 03/31/21 4:59  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	04/20/21 15:53

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-070-F  
**Lab ID:** 2104716-028A  
**Collection Date:** 03/31/21 4:59  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0024	mg/L	04/20/21 15:55

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-072-F

**Lab ID:** 2104716-029A  
**Collection Date:** 03/31/21 5:00  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	04/20/21 15:57

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-074-F

**Lab ID:** 2104716-030A  
**Collection Date:** 03/31/21 5:00  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 15:59

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-076-F

**Lab ID:** 2104716-031A  
**Collection Date:** 03/31/21 4:55  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 16:01

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** *SHE-080-BF*  
**Lab ID:** 2104716-032A  
**Collection Date:** 03/31/21 4:54  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 16:03

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-083-F

**Lab ID:** 2104716-033A  
**Collection Date:** 03/31/21 4:56  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 16:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-085-F

**Lab ID:** 2104716-034A  
**Collection Date:** 03/31/21 5:56  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 16:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248


**CLIENT:** Life Science Labs-LIMS  
**Project:** Ithaca City School District  
**Location:** ICSD-South Hill Elementary / Lead Study  
**Matrix:** PWS

**Client Sample ID:** SHE-087-F

**Lab ID:** 2104716-035A  
**Collection Date:** 03/31/21 4:56  
**Date Received:** 04/06/21 16:30

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	04/20/21 16:49

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

Client: Ithaca City School District

Phone # (607) 280-3900

Address: 400 Lake Street

Fax #

Ithaca, NY 14850

Contact Person:

Paul Alexander

LSL Project #:

Client's Site I.D.:

ICSD - SOUTH HILL ELEMENTARY - LEAD

Authorization # FN-00605

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Sample grab comp.	Type	Matrix	Preserv. Added	Containers # size/type	Analyses	Free Cl (mg/L)	Pres. Check
001A	SHE-002-F	3/31/2021	4:34AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		<2
2	SHE-004-F	3/31/2021	4:34AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
3	SHE-006-F	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
4	SHE-007-F	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
5	SHE-008-F	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
6	SHE-009-F	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
7	SHE-010-F	3/31/2021	4:36AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
8	SHE-012-F	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
9	SHE-015-BF	3/31/2021	4:39AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
10	SHE-016-F	3/31/2021	4:41AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
11	SHE-018-F	3/31/2021	4:41AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
12	SHE-020-F	3/31/2021	4:45AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
13	SHE-022-F	3/31/2021	4:43AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		
14	SHE-024-F	3/31/2021	4:44AM	X		PW	NONE	1 8 oz	LEAD BY EPA 200.8		

SAMPLES MUST BE RECEIVED ON ICE

Please Fill Out Completely

SAMPLES MUST BE RECEIVED ON ICE

Notes and Hazard identifications:

Custody Transfers

Results to:

jdrew@tstbores.org

Samples prepared  
Upon receipt at Lab

segan@tstbores.org

mal@tstbores.org

mmiroi@tstbores.org

Sampled and Relinquished By:

Print Name: Miroi C. Miroiu

Signature:

*Miroi C. Miroiu*

Received By:

*Sebastian Segan*

Received By:

*Polly Dorella*

Received for Lab By:

*Dawn Miroiu*

Date

3.31.2021

4/5/21

4/6/21

4/8/21

Time

10:37

2:00PM


mid

5:30

Shipment Method:

Samples Received Intact: Y N

23.1°C



Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

Phone # (315) 445-1900

Ithaca City School District

Address: 400 Lake Street

Ithaca, NY 14850

Telefax # (315) 445-1104

Phone # (607) 280-3900

Fax #

2104716

IthacaCitySchools

2923

# Chain of Custody Record

Contact Person: **Paul Alexander** LSL Project #: **ICSD - SOUTH HILL ELEMENTARY - LEAD**

Client's Site I.D.: **ICSD - SOUTH HILL ELEMENTARY - LEAD**

Client's Project I.D.:

Authorization # **PN-00605**

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Sample Type	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
0015A	SHE-026-F	3/31/2021	4:44AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		<L
16	SHE-032-F	3/31/2021	4:46AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
17	SHE-038-F	3/31/2021	4:49AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
19	SHE-039-F	3/31/2021	4:47AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
19	SHE-042-F	3/31/2021	4:50AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
20	SHE-044-F	3/31/2021	4:49AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
21	SHE-049-F	3/31/2021	4:44AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
22	SHE-050-F	3/31/2021	4:44AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
23	SHE-053-F	3/31/2021	4:44AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
24	SHE-054-F	3/31/2021	4:44AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
25	SHE-057-F	3/31/2021	4:59AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
26	SHE-059-F	3/31/2021	4:59AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
27	SHE-061-F	3/31/2021	4:59AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		
28	SHE-070-F	3/31/2021	4:59AM	X	PW	NONE	1	8 oz	LEAD BY EPA 200.8		✓

**SAMPLES MUST BE RECEIVED ON ICE**

Please Fill Out Completely

**SAMPLES MUST BE RECEIVED ON ICE**

**Custody Transfers**

Print Name: **MICHAEL C. MIREOLA** Signature: *[Signature]*

Received By: *[Signature]* Date: **3/31/2021 10:37**

Relinquished By: *[Signature]* Received By: *[Signature]*

Relinquished By: *[Signature]* Received for Lab By: *[Signature]* Date: **4/5/21 2:00PM**

Relinquished By: *[Signature]* Received for Lab By: *[Signature]* Date: **4/6/21 11:10**

Relinquished By: *[Signature]* Received for Lab By: *[Signature]* Date: **4/6/21 10:30**

**SAMPLES MUST BE RECEIVED ON ICE**

Notes and Hazard identifications:

Results to: **jdrew@tstbooces.org**

**Samples Preserved** **segan@tstbooces.org**

**Upon Receipt at Lab** **malo@tstbooces.org**

**mmirolu@tstbooces.org**

Shipment Method: **Y N 23.1°C**



Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057

# Chain of Custody Record

2104716  
 IthacaCitySchools

2923

Client: Ithaca City School District      Telephone # (315) 445-1900      Telefax # (315) 445-1104      LSL Project #:

Address: 400 Lake Street      Phone # (607) 280-3900      Client's Site I.D.:  
 Ithaca, NY 14850      Fax #      ICSD - SOUTH HILL ELEMENTARY - LEAD

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Authorization/PO #: FN-00605		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	Type comp.			#	size/type			
0024 A	SHE-072-F	3/31/2021	5:00AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		✓
30	SHE-074-F	3/31/2021	5:00AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		
31	SHE-076-F	3/31/2021	4:55AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		
32	SHE-080-BF	3/31/2021	4:54AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		
33	SHE-083-F	3/31/2021	4:56AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		
34	SHE-085-F	3/31/2021	4:56AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		
35	SHE-087-F	3/31/2021	4:56AM	X		PW	NONE	1	8 oz	LEAD BY EPA 200.8		✓

**SAMPLES MUST BE RECEIVED ON ICE**      Please Fill Out Completely      **SAMPLES MUST BE RECEIVED ON ICE**

Notes and Hazard Identifications:

Results to: jdrew@tstbooces.org      Signature: *Mark C. Hicoin*      Date: 3/31/2021 10:37

Samples Preserved: segan@tstbooces.org      Received By: *S. Spaulding*      Date: 4/15/21 2:00PM

Upon Receipt at Lab: malo@tstbooces.org      Received By: *Bill Swallen*      Date: 4/6/21 11:10

mmiroi@tstbooces.org      Received for Lab By: *David America*      Date: 4/6/21 16:30

Shipment Method:      Samples Received Intact: Y N      23.1°C